

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
1180	Brothers Passage Bell Buoy 1	44 33 36 N 67 25 48 W				Green.	
		*					44/99
1995	Dram Island Ledge Buoy 2	44 28 06 N 68 11 54 W				Red nun.	
		*					44/99
6625	Elm Island Buoy 4 At south end of reef.	43 45 36 N 69 55 24 W				Red nun.	
		*					44/99
11385	- Channel Lighted Buoy TN	42 19 00 N 70 54 48 W	FI (2+1) R 6s		4	Red and green bands.	Replaced by nun when endangered by ice.
							44/99
*16557	Hospital Cove Buoy 5A					Green can.	
							44/99
37755	- Lighted Buoy 11		FI G 4s		4	Green.	Replaced by can from Dec. 1 to Apr. 1.
					*		44/99

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Lynnhaven River Saw Pen Point							
10331.03	- Daybeacon WS2	36 51 54 N 76 07 00 W				TR on pile.	Private aid.
		*					44/99
29363	Beaufort Inlet Shipwreck Site Warning Buoy					White foam can worded DO NOT DIVE DO NOT ANCHOR STAY CLEAR 300 YARDS	Private aid.
	*		*				*
							44/99
36750	- Daybeacon 8	38 57 00 N 74 53 24 W				TR-TY on pile.	
	*						44/99
36755	- Daybeacon 10	38 57 00 N 74 53 30 W				TR-TY on pile.	
	*						44/99
36760	- Daybeacon 11	38 56 54 N 74 53 42 W				SG-SY on pile.	
	*						44/99
36765	- LIGHT 12	38 56 54 N 74 53 54 W	FI R 4s	15	3	TR-TY on pile.	
			*				44/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
210	Charleston Offshore Drill Minefield Buoy A						Remove from list.
							* 44/99
215	Charleston Offshore Drill Minefield Buoy B						Remove from list.
							* 44/99
220	Charleston Offshore Drill Minefield Lighted Bell Buoy C						Remove from list.
							* 44/99
225	Charleston Offshore Drill Minefield Lighted Bell Buoy D						Remove from list.
							* 44/99
	*Delete Heading: *Port Everglades						
795	- Approach Light						Remove from list.
							* 44/99
	*Add Heading: *Port Everglades						
800 10305	- Lighted Buoy PE	26 05 30 N 80 04 48 W	Mo (A) W		7	Red and white stripes with red spherical topmark.	RACON: T (-).
							44/99
	*Add Heading: *Charleston Harbor Marina						
*2555.1	SOUTH PIER LIGHT	32 47 06 N 79 54 36 W	QW	6			Private aid.
							44/99
*2555.2	SOUTHWEST PIER LIGHT	32 47 12 N 79 54 42 W	FI W 2.5s	6			Private aid.
							44/99
*2555.3	NORTHWEST PIER LIGHT	32 47 18 N 79 54 42 W	FI W 4s	6			Private aid.
							44/99
*2555.4	NORTH PIER LIGHT	32 47 18 N 79 54 36 W	FI W 6s	6			Private aid.
							44/99
5725	SAIL HARBOR DOCK LIGHT						Remove from list.
							* 44/99
*6026	CLOISTER HOTEL BREAKWATER NORTH OBSTRUCTION LIGHT	31 10 48 N 81 20 48 W	FI W 2.5s	15	5	NB on pile worded DANGER OBSTRUCTION.	Private aid.
							44/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*6027	CLOISTER HOTEL BREAKWATER SOUTH OBSTRUCTION LIGHT	31 10 48 N 81 20 48 W	FI W 2.5s	15	5	NB on pile worded DANGER OBSTRUCTION.	Private aid.
							44/99
10145	- Light 9	27 09 54 N 80 09 48 W	FI G 4s	16	3	SG on pile.	
	*	*		*		*	44/99
21480	- Daybeacon 4						Remove from list.
							*
							44/99
21615	- Channel Daybeacon 6						Remove from list.
							*
							44/99
21645	- Channel Daybeacon 10						Remove from list.
							*
							44/99
	*Add Headings: *Tampa Bay *Snell Isle						
*25020.1	- Daybeacon 2	27 47 18 N 82 37 06 W				TR on pile.	Private aid.
							44/99
*25020.2	- Daybeacon 4					TR on pile.	Private aid.
							44/99
*25020.3	- Daybeacon 5					SG on pile.	Private aid.
							44/99
*25020.4	- Daybeacon 7					SG on pile.	Private aid.
							44/99
*25020.5	- Daybeacon 8					TR on pile.	Private aid.
							44/99
*25020.6	- Daybeacon 10					TR on pile.	Private aid.
							44/99
	*Add Heading: *Coffee Pot Bayou						
*25021	- Daybeacon 1	27 47 00 N 82 36 54 W				SG on pile.	Private aid.
							44/99
*25021.1	- Daybeacon 2					TR on pile.	Private aid.
							44/99
*25021.2	- Daybeacon 3					SG on pile.	Private aid.
							44/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*25021.3	- Daybeacon 4					TR on pile.	Private aid. 44/99
*25021.4	- Daybeacon 5					SG on pile.	Private aid. 44/99
*25021.5	- Daybeacon 6					TR on pile.	Private aid. 44/99
*25021.6	- Daybeacon 7					SG on pile.	Private aid. 44/99
*25021.7	- Daybeacon 8					TR on pile	Private aid. 44/99
	*Add Heading: *Smacks Bayou						
25025	-Daybeacon 1	27 47 24 N 82 36 24 W				SG on pile.	Private aid. 44/99
*25025.1	- Daybeacon 2					TR on pile.	Private aid. 44/99
*25025.2	- Daybeacon 3					SG on pile.	Private aid. 44/99
*25025.3	- Daybeacon 4					TR on pile.	Private aid. 44/99
*25025.4	- Daybeacon 5					SG on pile.	Private aid. 44/99
*25025.5	- Daybeacon 6					TR on pile.	Private aid. 44/99
*25025.6	- Daybeacon 8					TR on pile.	Private aid. 44/99
*25025.7	- Daybeacon 10					TR on pile.	Private aid. 44/99
*25025.8	- Daybeacon 12					TR on pile.	Private aid. 44/99
*25025.9	- Daybeacon 13					SG on pile.	Private aid. 44/99
*25026	- Daybeacon 14					TR on pile.	Private aid. 44/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*25026.1	- Daybeacon 15					SG on pile.	Private aid. 44/99
*25026.2	- Daybeacon 16					TR on pile.	Private aid. 44/99
25030	Smacks Bayou Daybeacon 2						Remove from list. * 44/99
*Add Heading: *Tampa Bay							
*25031	- Shore Acres Marina Daybeacon 2	27 47 54 N 82 36 18 W				TR on pile.	Private aid. 44/99
*25032	- Shore Acres Marina Daybeacon 4					TR on pile.	Private aid. 44/99
*25033	- Shore Acres Marina Daybeacon 5					SG on pile.	Private aid. 44/99
26145	- Entrance Daybeacon 2A						Remove from list. * 44/99
*26190.5	- Daybeacon 12					TR on pile.	 44/99
*26195.5	- Daybeacon 14					TR on pile.	 44/99
26205	- Daybeacon 16A						Remove from list. * 44/99
*37521	Mud Creek East Obstruction Daybeacon	30 54 18 N 81 27 54 W				NW on pile worded DANGER SUBMERGED REEF.	Private aid. 44/99
*37522	Mud Creek West Obstruction Daybeacon	30 54 18 N 81 28 06 W				NW on pile worded DANGER SUBMERGED REEF.	Private aid. 44/99
*Add Heading: *Manatee Cove Marina							
*42490.1	- Daybeacon 1	28 12 48 N 80 37 30 W				SG on pile.	Private aid. 44/99
*42490.2	- Daybeacon 2					TR on pile.	Private aid. 44/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*42490.3	- Daybeacon 3					SG on pile.	Private aid. 44/99
*42490.4	- Daybeacon 4					TR on pile.	Private aid. 44/99
*42490.5	- Daybeacon 5					SG on pile.	Private aid. 44/99
*42490.6	- Daybeacon 6					TR on pile.	Private aid. 44/99
	*Add Heading: *Banana River						
42495	- Daybeacon 6A					TR on dolphin.	 44/99
	*Delete Heading: *Manatee Cove Marina Race Course						
42520	- Race Course Buoy A						Remove from list. * 44/99
42525	- Race Course Buoy B						Remove from list. * 44/99
42530	- Race Course Buoy C						Remove from list. * 44/99
42535	- Race Course Buoy D						Remove from list. * 44/99
*50350.5	- MONITOR Daybeacon G					NY on pipe.	Private aid. 44/99
*50530.5	- MONITOR Daybeacon G					NY on pipe	Private aid. 44/99
56855	- Daybeacon 17						Remove from list. * 44/99
56860	- Daybeacon 18						Remove from list. * 44/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
North Shore Channel							
9605	- CUT A RANGE FRONT LIGHT	30 11 48 N 89 46 30 W	Q W	20		KRW on skeleton tower on piles.	Visible on range line only.
						*	44/99
9610	- CUT A RANGE REAR LIGHT 300 yards, 322° from front light.		Iso W 6s	30		KRW on skeleton tower on piles.	Visible on range line only.
						*	44/99
9655	- CUT B RANGE REAR LIGHT 335 yards, 090° from front light.		Iso W 6s	34		KRW on skeleton tower on piles.	Visible on range line only.
						*	44/99
11125	- LIGHT 128	30 00 18 N 89 55 06 W	FI R 2.5s	30	4	TR on dolphin.	
						*	44/99
14080	CALIFORNIA LIGHT 137 RDB mile 136.6.		Q G		5	SG on skeleton tower.	
						*	44/99
14210	VACHERIE LIGHT 149A RDB mile 150.0.		Iso G 6s		5	SG on pile.	Higher intensity beam up and down river.
						*	44/99
14235	LOWER BELMONT CROSSING RANGE REAR LIGHT 102 yards, 049° from front light.		Oc R 4s			KRW on skeleton tower on piles.	Visible all around; higher intensity on rangeline. Lighted throughout 24 hours.
						*	44/99
14330	NITA LIGHT 162 LDB mile 162.2.		Iso R 6s		7	TR on pile.	
						*	44/99
14440	RIVERTON LIGHT 172 LDB mile 171.2.		Iso R 6s		7	TR on skeleton tower on concrete pad.	
						*	44/99
14570	RESCUE LIGHT 190 LDB mile 188.6.		Iso R 6s		5	TR on pile.	
						*	44/99
14775	RICHARD POWELL RANGE FRONT LIGHT LDB mile 218.4.	30 21 06 N 91 10 54 W	Oc W 4s	20		KRW on skeleton tower on mud sill.	Visible all around.
						*	44/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
14780	RICHARD POWELL RANGE REAR LIGHT 200 yards, 60.9° from front light.		F W	30		KRW on skeleton tower.	Visible all around.
				*			44/99
*22793	SEAWOLF FISHING PIER LIGHT	29 20 00 N 94 46 18 W	FI Y 4s	16		On pier.	Private aid.
							44/99
*25795	- Daybeacon 4					TR on pile.	Ra ref.
							44/99
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
625 9220	<i>Umpqua River Approach Lighted Whistle Buoy U</i>	43 39 54 N 124 14 24 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
					*		44/99
4672	- <i>Lighted Buoy 6</i> 100 feet outside channel limit.	37 47 54 N 122 20 12 W	FI R 2.5s		4	Red.	
	*	*					44/99
UMPQUA RIVER (Chart 18584)							
Umpqua River							
9220 625	- <i>Approach Lighted Whistle Buoy U</i>	43 39 54 N 124 14 24 W	Mo (A) W		5	Red and white stripes with red spherical topmark.	
					*		44/99
15591	- South Jetty Sound Signal	46 54 24 N 124 09 00 W					Maintained from June 1 to Oct. 1. HORN: 1 blast ev 15s (2s bl).
		*					44/99
16838	- MARINA BREAKWATER LIGHT A	47 37 48 N 122 23 48 W	FI Y 10s				Private aid.
	*						44/99
16838.1	- MARINA BREAKWATER LIGHT B	47 37 42 N 122 23 48 W	FI Y 10s				Private aid.
	*						44/99
16838.2	- MARINA BREAKWATER LIGHT C	47 37 36 N 122 23 18 W	FI Y 10s				Private aid.
	*						44/99
16838.3	- MARINA BREAKWATER LIGHT D	47 37 42 N 122 23 18 W	F Y 10s				Private aid.
	*						44/99

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.